



SPORTS ZONE™

Unmatched Performance and Durability for Wood Floors





Betco. Experts in Sports Floor Coatings.

Betco has applied over 55 years of industry experience into creating the most comprehensive cleaning maintenance products and programs ever supplied by one manufacturer. Our cutting edge equipment products reduce labor costs, increase efficiency and optimize processes through innovation.

Betco Sports Zone Coatings Offer the Best in:

- Recoat Systems** – Three different systems to meet your needs.
- Quality** – The highest quality line assembled for water-based and oil-modified wood coatings.
- Appearance** – Brilliant, lasting gloss with scuff and mar resistance.
- Durability** – We deliver the best performance for high use athletic floors.
- Choice** – The Sports Zone™ Wood Coatings meet the most stringent VOC compliance for the restricted areas around the country while still providing a full line of traditional oil-modified urethane finishes.

WATER-BASED SPORT COATINGS AT A GLANCE


	● Excellent	● Very Good	● Good	
	SS GYM COAT	HP GYM COAT	LP GYM COAT	EZ GYM COAT N SEAL
Play Tomorrow	●	●	●	●
Dry Time	●	●	●	●
Durability	●	●	○	○
Gloss	●	●	●	●
Odor	●	●	●	●
Hides Screen Marks	●	●	○	●
Flow/Leveling	●	●	●	●
Responds to Burnishing	N/A	N/A	●	●
Requires Mixing	Yes	Yes	No	No

CGC Recoating System Advantage

For use on all gym floors previously coated with water-based or oil-modified coatings. The TyGlu™ bonding agent is the key second step in CGC Recoating System. It saves time, labor and materials by ensuring adhesion of the top coat and reducing floor prep time.

- Easy preparation with standard equipment.
- Play the next day (when used with SS Gym Coat).
- Ensures adhesion to water-based urethane and oil-based gym finishes.
- Just one top coat of finish protects the floor.
- No sanding screen marks.
- Builds a deep gloss with less finish.
- No dust!
- No special training needed.
- Bonds new finish coat to existing floor.

TYGLU™ Labor Savings Comparison Chart



WATER-BASED COATINGS / SEALER



68004-00, 68005-00



65504-00, 65505-00



65404-00, 65405-00



67504-00, 67505-00



65704-00, 65705-00

Product / Item #	Benefits / Features	Dilution / Coverage	Size / Case
SS GYM COAT High Traffic Wood Floor Finish 68004-00 / 68005-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • The industry standard for durability. • High Gloss. • High Endurance. • Fast curing - "Coat Today, Play Tomorrow". • Fast Drying - 2 - 3 hours. 	Up to 750 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail
HP GYM COAT Water-Based Ultra Durable Gloss 65504-00 / 65505-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Ultra durable, Fast drying, Low odor. • Easy clean up with water. • Dries to a clear film. • Superior flow and leveling. 	Up to 800 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail
LP GYM COAT Water-Based Single Component 65404-00 / 65405-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Single component - no mixing. • Fast drying - 1 - 2 hours. • Low odor. High gloss. • Burnishable to restore gloss. 	Up to 1,000 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail
EZ GYM COAT N SEAL Self-Sealing Wood Coating 67504-00 / 67505-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Applies quickly and easily. • Low VOC. • Adds depth and fills screen marks. • Water-based sealer with the amber tones of an oil. • Fast drying - 2 - 3 hours. 	Up to 600 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail
CATSEAL™ Catalyzed Sealer for Wood Floors 65704-00 / 65705-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Excellent sanding properties. • Dries clear. Fast drying - 3 hours. Low odor. • Use with catalyzed finishes. • Penetrates and protects. 	Up to 800 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail

Icon Legend



Hard Floor Application



Wood Floor Application



Spray Application



Spray Application



Bucket Fill Application



Autoscrubber Application



Electric Powered



Battery Powered

TYGLU APPLICATION

This specialty bonding agent is formulated to be applied in a thin even coat. Betco's QuickCoat® II Finish Applicator System ensures optional application and reduces labor time by 50%. QuickCoat II ready-to-use 1.25 gallon bags are conveniently packaged for use with the QuickCoat II Finish Applicator System or can be poured into a mop and bucket.

SPECIALTY COATINGS / WOOD COATING MAINTAINERS



69104-00, 69159-00 67304-00, 67305-00 69504-00, 69505-00 69004-00 14904-00, 14955-00 03523-00

Product / Item #	Benefits / Features	Dilution / Coverage	Size / Case
TYGLU™ Wood Floor Bonding Agent 69104-00 / 69159-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Low odor. • Bonds existing coating to the new water-based top coat. • Easy application. • Dries in 1 hour. 	Up to 3,000 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 2 - 1.25 gal./cs. (QuickCoat® II)
RIVAL™ Wood Floor Epoxy Coating Bonding Agent 67304-00 / 67305-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Ensures adhesion to water-based epoxy coatings. • Low odor. Fast drying - 2 - 3 hours. • Low VOC. • Excellent flow and leveling. 	Up to 600 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail
GT CLEANER™ Maintenance Cleaner for Wood Floors 69504-00 / 69505-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Cleans and removes abrasive soils. • Fast drying. Leaves no residue. • Restores traction for sports floors. • Versatile - use for daily and periodic maintenance. 	Concentrate 1:64	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail
PK CLEANER™ Wood Cleaner 69004-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Deep cleaning for prepping recoating of water-based coatings. • Effectively removes scuffs and black heel marks. • Low foaming. Economical to use. 	Concentrate 1:32	4 - 1 gal. (3.78 L)/cs.
NOIL™ Water-Based Dust Mop Treatment 14904-00 / 14955-00 	Treats dust mops/cloths for dust mopping resilient flooring, wood and concrete. <ul style="list-style-type: none"> • Versatile - Dust mops can be immediately used. • Pleasant fragrance. • Effectively picks up all dry soils. • Economical - A little bit goes a long ways. 	Ready-To-Use	4 - 1 gal. (3.78 L)/cs. 55 gal. (208 L)/Drum
DUST MOP TREATMENT Water-Based Dust Mop Treatment 03523-00 	Treats dust mops/cloths for dust mopping. <ul style="list-style-type: none"> • Pleasant fragrance. • Convenient RTU aerosol. • Versatile - Use on mops, cloths, filters. • No CFC's. 	Ready-To-Use Aerosol	12 - 17 oz. Aerosols (482 g)/cs.



OIL-MODIFIED FINISHES / SEALER / MAINTAINERS



66705-00 61205-00 62005-00 62105-00 12004-00 11705-00

Product / Item #	Benefits / Features	Dilution / Coverage	Size / Case
BETCO® 1 COAT High Gloss Urethane Finish 66705-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • High gloss. Extended protection and durability. • One coat application. • High solids. Excellent flow and leveling. 	Up to 450 sq. ft. per gallon	5 gal. (18.9 L)/Metal Pail
MARATHANE™ 45 Gloss Urethane Finish for Wood Gym Floors 61205-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Superior durability. • Great depth of gloss. • 45% solids urethane. • Excellent flow and leveling. 	Up to 450 sq. ft. per gallon	5 gal. (18.9 L)/Metal Pail
MARATHANE™ 35 Gloss Urethane Finish for Wood Gym Floors 62005-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Tough OMU formula. • Extended protection. • Easy-to-use: Works with a variety of applicators. • Excellent flow and leveling. 	Up to 450 sq. ft. per gallon	5 gal. (18.9 L)/Metal Pail
OMU SEALER Oil-Modified Penetrating Sealer 62105-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Penetrates and seals. • Superior adhesion. • Excellent protection. • Easy-to-use. 	Up to 450 sq. ft. per gallon	5 gal. (18.9 L)/Metal Pail
DM120 Dust Mop Treatment 12004-00 / 12055-00 	Treats dust mops/cloths for dust mopping. <ul style="list-style-type: none"> • Attracts dust and dirt. Holds dust like a magnet. • Brightens surfaces. Economical. • Penetrates mop fibers. 	Ready-To-Use	4 - 1 gal. (3.78 L)/cs. 55 gal. (208 L)/Drum
WC117 Waterless Cleaner 11705-00 	For use on wood floors with oil-modified coatings. <ul style="list-style-type: none"> • Cleans and restores traction. • Restores traction. • Leaves no residue. 	Ready-To-Use	5 gal. (18.9 L)/Metal Pail



REMOVABLE FINISH & STRIPPERS FOR SYNTHETIC FLOORS

If your synthetic floor has been previously coated with an acrylic finish, we recommend the following Betco products for coating and removal of acrylic finishes on synthetic sports floors.



18404-00, 18405-00,
18455-00



61004-00, 61005-00,
61055-00, 61059-00

Product / Item #	Benefits / Features	Dilution / Coverage	Size / Case
EXTREME® High Power • Fast Acting Low Odor • No-Rinse Floor Stripper 18404-00 / 18405-00 18455-00 	Rinse free - Has a lower pH than competitive formulas, requires no neutralization or rinsing. <ul style="list-style-type: none"> Developed to quickly strip multiple coats of burnished finish from a variety of floors. Extremely Powerful. Use on all types of resilient flooring. 	Concentrate 1:5	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail 55 gal. (208 L)/Drum
HI-TECH® High Gloss - Wet Look Medium Maintenance Floor Finish 61004-00 / 61059-00 61005-00 / 61055-00 	Excellent wet look shine after burnishing. <ul style="list-style-type: none"> Self leveling and sealing. Pressurized emulsified thermoplastics prevent powdering, scuffing and black marks. Use on all types of resilient flooring. 	Up to 3,000 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 2 - 1.25 gal./cs. (QuickCoat® II) 5 gal. (18.9 L)/Pail 55 gal. (208 L)/Drum

COAT TODAY. PLAY TOMORROW.

The CGC™ System with TyGlu™ and SS Gym Coat results in fast cure time for **PLAY THE NEXT DAY!**

Betco® offers three ways for preparing your floor for recoating. Every facility has different environments -facility usage, time to maintain floors, skilled staff, and available equipment; all of these should be considered when choosing a recoating system. Also works great for recoating Synthetic floors, refer to tech bulletin on "Recoating Synthetic Floors" for further details.



	RECOAT SYSTEM SELECTION GUIDE		
	GAME PLAN 1: CGC™ System	GAME PLAN 2: Scrub & Recoat	GAME PLAN 3: Screen & Recoat (Dry or Wet)
Advantages	<ul style="list-style-type: none"> Quick and easy process - Saves labor. Dustless system. Easy clean-up. Builds deep gloss with no screen marks. Requires only one top coat when used with SS Gym Coat. 	<ul style="list-style-type: none"> Quick process. Simple procedures. 	<ul style="list-style-type: none"> Superior adhesion. Removes deep scuffs and scratches. Recommended for new floors.
Recommended Application	<p>Choose this system if:</p> <ul style="list-style-type: none"> Limited equipment available. Limited time to train. Changing from oil-modified coatings to water-based coatings. Recoat budget is limited. Application time is limited. Floor down time is restricted (can be in use the next day). 	<p>Choose this system if:</p> <ul style="list-style-type: none"> Auto scrubber is available. Staff has limited wood coating experience. Recoating water-based finishes. Recoat budget is limited. No adhesion problems are present. Desire to burnish/restore finish. 	<p>Choose this system if:</p> <ul style="list-style-type: none"> Auto scrubbers are not currently used to maintain the floor. Skilled staff is present. Recoating with oil-modified or water-based finishes. Adequate time permits thorough prepping & coating procedures. Adhesion problems are present (Peeling areas) Changing from oil-modified coatings to water-based coatings.
Recommended Power Equipment	<ul style="list-style-type: none"> Low speed floor machine or auto scrubber. Wet/Dry vacuum. 	<ul style="list-style-type: none"> Auto scrubber. Battery or Propane Burnisher. 	<ul style="list-style-type: none"> 1 - 2 low speed floor machines. Wet/Dry vacuum.
Recommended Floor Pads and Screens	<ul style="list-style-type: none"> Blue scrub pads. (800 sq. ft./pad). 	<ul style="list-style-type: none"> Maroon top scrub pads. (400 sq. ft./pad). 	<ul style="list-style-type: none"> Sanding screens - 100 or 120 grit. (500 sq. ft./screen).
Required Cleaners/Bonding Agents	PK Cleaner™ - Cleaner TyGlu™ - Bonding agent	PK Cleaner™	GT Cleaner™
Sports Zone™ Coatings	SS Gym Coat LP Gym Coat HP Gym Coat EZ Gym Coat N Seal	LP Gym Coat - (Responds to burnishing). EZ Gym Coat N Seal	Marathane™ Marathane™ 35 Betco® 1 Coat Betco® OMU 350
			SS Gym Coat HP Gym Coat LP Gym Coat EZ Gym Coat N Seal

WOOD FLOOR EQUIPMENT



E83013-00, E83014-00



E86014-00, E86015-00



E85270-00, E85990-00



E83012-00



E85507-00



E85903-00

Product / Item #	Benefits / Features	Dilution / Coverage	Size / Case
CREWMAN™ 17HD E83013-00 17" Standard Floor Machine CREWMAN™ 20HD E83014-00 20" Standard Floor Machine 	Value positioned. <ul style="list-style-type: none"> Precision balancing reduces operator fatigue. Rugged durability, heavy-duty 1.5 hp motor, triple planetary steel gearbox. Use for stripping, scrubbing, spray buffing and carpet bonneting. 	Up to 1,100 sq.ft. per hour/buffing and scrubbing	Pad size: 17" Pad size: 20"
FOREMAN® AS20B E86014-00 20" Automatic Scrubber FOREMAN® AS26B E86015-00 26" Automatic Scrubber 	Compact design with easy to use controls. <ul style="list-style-type: none"> Hands free pad driver installation and removal. Weighted squeegee maximizes water recovery. Use for general cleaning, stripping and heavy duty scrubbing. 	Up to 20,000 sq.ft./hr. (AS20B) Up to 24,000 sq.ft./hr. (AS26B)	Length: 53" Height: 38" AS20B Width: 21" w/o squeegee Width: 30" w/squeegee AS26B Width: 27" w/o squeegee Width: 37" w/squeegee
FOREMAN® AS26HD E85270-00 26" Heavy Duty Auto Scrubber FOREMAN® AS32HD E85990-00 32" Heavy Duty Auto Scrubber 	Heavy duty construction stands up to tough environments. <ul style="list-style-type: none"> Dual pad drivers maximize scrubbing performance. Weighted squeegee maximizes water recovery. Sleek body design featuring simple controls and reduced exposure of components. Use for general cleaning, stripping and heavy duty scrubbing. 	Up to 27,000 sq.ft./hr. (AS26HD) Up to 30,000 sq.ft./hr. (AS32HD)	Length: 63" Width: 27" w/o squeegee Width: 35" w/squeegee Height: 43"
WORKMAN® 20 Wet / Dry Vacuum E83012-00 	Innovative "tip and pour" design makes emptying easy, large 20 gallon capacity. <ul style="list-style-type: none"> Powerful 1.75 hp motor offers maximum recovery in wet and dry applications. Multi task tool kit included, optional front mount squeegee available. Use for all types of wet or dry vacuuming on hard floor and carpet. 	Up to 8,000 sq.ft./hr.	Width: 20.5" w/o squeegee Width: 29" w/squeegee Height: 39.75"
FIBERPRO® DRYER Floor Dryer E85507-00 	Powerful 2500 CFM airflow accelerates dry times. <ul style="list-style-type: none"> Rugged roto-mold construction, 3 speed settings. Stackable design for increased airflow and easy storage. 	N/A	Length: 22.5" Width: 15" Height: 19"
BAC PAC LITE 5 Liter Bac Pac Vacuum E85903-00 	Lightweight ergonomic design helps prevent operator fatigue. <ul style="list-style-type: none"> HEPA filtration, filters out 99.97% of contaminants @ 3 microns. Less than 70 dB sound level, ideal for use in occupied spaces. Use for residential, commercial carpet, office partitions, blinds, draperies, vent and duct cleaning. 	7,500 sq.ft./hr. (FLOORS) 2,900 sq.ft./hr. (STAIRWAYS) 2,200 sq.ft./hr. (PARTITIONS)	Height: 22.5"

FLOOR APPLICATORS & ACCESSORIES






91185-00, 91174-00



90113-00, 90114-00



90112-00, 91175-00

Product / Item #	Benefits / Features	Dilution / Coverage	Size / Case
MEDIUM WEIGHT BAR 91185-00 / 91174-00 18" / 24" 	<i>For use on sport and commercial wood floors.</i> <ul style="list-style-type: none"> • Consistent and even coverage. • Applies a thicker coat. 	N/A	1 - 18" Bar/cs. 1 - 24" Bar/cs.
HEAVY WEIGHT BAR 90113-00 / 90114-00 18" Bar and Handle 18" Applicator Kit 	<i>For use on sport and commercial wood floors.</i> <ul style="list-style-type: none"> • Consistent and even coverage. • Heavy-duty steel handle. 	N/A	1 - 18" Bar and handle only/cs. 1 - 18" Applicator Kit with 6 pad refills/cs.
APPLICATOR REFILLS 90112-00 / 91175-00 18" / 24" 	<i>For use with Medium or Heavy Weight T-bar.</i> <ul style="list-style-type: none"> • Applies finish in a smooth, lint free coat. • Streak and bubble-free finish application. 	N/A	6 - 18" pad refills/cs. 6 - 24" pad refills/cs.

SANDING SCREENS AND FLOOR PADS

SCREEN	CATEGORY	APPLICATION
60 Grit Sanding Screen	Extra Heavy	For aggressive deep screening to remove all coatings and severe scratches.
80 Grit Sanding Screen	Heavy	For deep screening to remove coatings and scratches.
100 Grit Sanding Screen	Medium	For medium screening to remove coatings and for recoating applications.
120 Grit Sanding Screen	Light	For light screening of sealer coats, between finish coats and for recoating applications.
Maroon Top Scrub Pad	Extra Heavy	For aggressive deep scrubbing.
Blue Medium Scrub Pad	Heavy	For deep scrubbing.
Red Scrub Pad	Medium	For medium scrubbing.
White Scrub Pad	Light	For light scrubbing.



**INNOVATIVE
CLEANING TECHNOLOGIES**

©2008 Betco Corporation
 All Rights Reserved.
 1001 Brown Avenue
 Toledo, Ohio 43607-0127
 888-GO BETCO • www.betco.com

Item #91145-92